



**BTECH**  
**(SEM I) THEORY EXAMINATION 2023-24**  
**ENGINEERING CHEMISTRY**

**TIME: 3HRS****M.MARKS: 70****Note:** 1. Attempt all Sections. If require any missing data; then choose suitably.**SECTION A****1. Attempt all questions in brief.**

Q no.	Question	Marks
a.	Explain molecular self-assembly method for preparing the nanomaterials.	2
b.	A solution shows a transmittance of 20%, when kept in a cell of 2.5 cm thickness. Calculate its concentration if the molar absorptivity coefficient is $12000 \text{ dm}^3 \text{ mol}^{-1} \text{ cm}^{-1}$ .	2
c.	Analyze the effect of polar solvent on $\pi \rightarrow \pi^*$ transition in acetone.	2
d.	Calculate the emf of the cell, if the standard emf of the cell is 1.54 V. Write cell reaction also. $\text{Zn(s)} \parallel \text{Zn}^{2+}(0.2M) \parallel \text{Ag}^+(0.002M) \parallel \text{Ag(s)} \text{ at } 25^\circ \text{C}$	2
e.	What is role of Gypsum in cement manufacturing?	2
f.	A sample of coal contains 60% Carbon, 33% Oxygen, 6.0% Hydrogen, 0.5% Sulphur, 0.2% Nitrogen and 0.3% Ash. Calculate its GCV.	2
g.	What do you understand by Polymer Blends?	2

**SECTION B****2. Attempt any three of the following:**

a.	Draw molecular orbital diagram of $\text{O}_2$ and NO. Calculate their bond order and comment on their magnetic behaviors.	7
b.	Illustrate the shielding and Deshielding effect involved in NMR spectroscopy. In the P-NMR spectrum recorded at 293 K, an Organic compound ( $\text{C}_3\text{H}_7\text{NO}$ ) exhibited signals at $\delta$ 7.8 (1H, singlet), $\delta$ 2.8 (3H, singlet) and $\delta$ 2.6 (3H, singlet). Find the structure of compound.	7
c.	Illustrate the various steps involved during manufacturing of Portland cement with the help of a labelled diagram Give the chemical reactions involved during setting and hardening of cement.	7
d.	Compare merits and demerits of Zeolite and Ion Exchange method.	7
e.	Discuss the preparation of Grignard Reagent. Predict the final product obtained when $\text{C}_2\text{H}_5\text{MgBr}$ reacts with (i) HCHO      (ii) $\text{CH}_3\text{CHO}$ (iii) $(\text{CH}_3)_2\text{CO}$ (iv) $\text{CO}_2$	7

**SECTION C****3. Attempt any one part of the following:**

a.	Illustrate any five principles of Green Chemistry and the give green synthesis method for preparation of Paracetamol.	7
b.	Classify Liquid crystals on the basis of temperature and give their applications in various fields.	7

**4. Attempt any one part of the following:**

a.	Asymmetrically substituted compounds having even number of cumulative double bonds exhibit optical isomerism whereas compounds having odd number of cumulative double bonds exhibit geometrical isomerism. Explain giving proper reasons.	7
b.	Write short notes on (any TWO) (i) UV Shift (ii) Applications of IR spectroscopy (iii) Molecular vibration	7

**5. Attempt any one part of the following:**



**BTECH**  
**(SEM I) THEORY EXAMINATION 2023-24**  
**ENGINEERING CHEMISTRY**

**TIME: 3HRS****M.MARKS: 70**

a.	Illustrate the working, diagrammatic representation and cell reaction of Lead Acid storage battery during charging and discharging.	7
b.	Briefly explain wet corrosion. How corrosion can be prevented by Metallic coating and using corrosion inhibitors?	7

**6. Attempt any one part of the following:**

a.	<p>With the help of a neat diagram, explain the working of Bomb calorimeter. A sample of coal contain C=89%, H=8% and ash=3%.</p> <p>The following data were obtained when the above coal was tested in bomb calorimeter: Weight of coal burnt= 0.85 g; Weight of water taken= 850 g; Water equivalent of bomb and calorimeter= 3500 g; Rise in temperature= 2.5°C; Fuse wire correction = 10.0 cal ; Acid correction= 50.0 cal; Cooling correction= 0.03 °C. Assuming that the latent heat of condensation of steam as 580 cal/gm, Calculate gross and net calorific values of the coal.</p>	7
b.	<p>Illustrate the principle of lime soda process.</p> <p>Analysis of raw water gives the following data: <math>\text{Ca}^{2+} = 20</math> ppm, <math>\text{Mg}^{2+} = 25</math> ppm, <math>\text{CO}_2 = 30</math> ppm, <math>\text{HCO}_3^- = 150</math> ppm, <math>\text{K}^+ = 10</math> ppm. Analysis of treated water: <math>\text{CO}_3^{2-} = 45</math> ppm, <math>\text{OH}^- = 68</math> ppm. Calculate the Lime (87% pure) and Soda (91% pure) required to soften <math>10^6</math> litre of sample water.</p>	7

**7. Attempt any one part of the following:**

a.	Classify conducting polymers and mention their important applications	7
b.	<p>Write the preparation (structure of monomer and polymer), properties &amp; applications of the <b>any THREE</b> polymers:</p> <p>(i) Buna -S   (ii) Nylon 6,6   (iii) Polyester   (iv) Kevlar   (v) Bakelite</p>	7